5998972/2022/REFORMS-ICD01

GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Water Resources Department – Renewal of Agreement to M/s Sree Rayalaseema Galaxy Projects Private Limited, Gondiparla (V), Kurnool District for drawl of 350 cum water per day from the well located towards Northern side of Thungabhadra River for a further period of 10 years - Permission accorded - Orders – Issued.

WATER RESOURCES (REFORMS) DEPARTMENT

G.O.Ms.No.8 **Dated:24.02.2022**

Read the following:

1. G.O.Ms.No.34, I&CAD Dept., Dt: 28.06.2011.
2. G.O.Ms.No.31, I&CAD Dept., Dt: 23.05.2012.
3. From the Director, Sree Rayalaseema Galaxy Projects Pvt. Ltd., Lr. No. SRGPL/DT/GEN-32/2020-21, Dt. 12.12.2020.
4. Govt. Memo No. ICD01-COOR0MISC/3/Reforms/2021, Dt: 07.01.2021.
5. G.O.Ms.No.1, Ind. & Com. (P&I) Dept., dt.12.01.2022.
6. From the ENC (I), WRD, Lr. No. ENC(I) /EE / DEE1/AEE2/ IWS (Rayalaseema Galaxy Project Ltd.), Dt: 04.01.2022.

***

O R D E R:

In the Government Orders 1st and 2nd read above, the Government accorded permission to M/s Sree Rayalaseema Galaxy Projects Private Limited, Gondiparla (V), Kurnool District to draw water not exceeding 350 cum per day from the Well located towards Northern side of Tungabhadra River for a period of 10 years for consumptive use for Industrial purpose subject to the usual terms and conditions. Accordingly, the Agreement was concluded with the firm by the Superintending Engineer, Irrigation Circle, Kurnool on 30.08.2012 for the period from 28.06.2011 to 27.06.2021.

2. In the letter 6th read above, the Engineer-in-Chief (Irrigation), Water Resources Department, Vijayawada based on the report submitted by the Chief Engineer (P), Water Resources Department, Kurnool has recommended the proposal for renewal of agreement to the Government to accord permission to M/s Sree Rayalaseema Galaxy Projects Private Limited, Gondiparla (V), Kurnool District to draw water not exceeding 350 cum per day from the Well located towards Northern side of Tungabhadra River for a period of 10 (Ten) years for consumptive use.

3. After careful examination of the matter, Government hereby accord permission to M/s Sree Rayalaseema Galaxy Projects Private Limited, Gondiparla (V), Kurnool District to draw 350 cum water per day from the well located towards Northern side of Thungabhadra River for a further period of **10 (Ten) years** i.e. with effect from 28-06-2021 to 27-06-2031 for consumptive use subject to the following terms & conditions:

1. The water can be spared subject to the availability of water in the Tungabhadra River.
2. The entire cost of construction of intake well, pump house, pipelines excavation etc., should be borne by the industry only.
3. Water meters or suitable measuring devices should be installed by the industry at their own cost to measure the water consumed and should be made available to the departmental authorities and the representatives of the users shall be present at all time of inspection. The water meter shall be periodically calibrated and kept sealed. The period of calibration will be specified by the Department.

4. The industry should pay royalty charges as per the G.O.Ms.No.1, Industries & Commerce. (P&I) Dept., dt.12.01.2022 at the rate of Rs. 120/KL as the water is used for consumptive use and at the revised rates fixed by the Government from time to time. The industry shall obtain the prior concurrence from concerned Departments for laying pipelines and for crossing etc., where ever necessary.
5. In case, if the industry failed to pay water rates/ royalty charges, the permissions to draw water shall stands cancelled.
6. No field bodhi or pipeline shall be taken through or along with Government land without approval of Government and if permission accorded by the Government the lease should be paid as fixed by Government only.
7. The industry should make their own arrangements to dispose the treated effluents as per norms of A.P. Pollution Control Board in their premises only and should obtain prior permission, if any needed from Government to dispose treated effluents in their natural sources. Necessary clearance from the A.P.Pollution Control Board is to be obtained in this regard by the firm before drawl of water from the source.
8. The Water Resources Department reserves the right for cancellation of the permission without assigning any reasons thereof.
9. The Water Resources Department is no way responsible for non-supply of water due to any reasons.
10. The industry must acquire the private land for installation of pumping arrangements. If the industry proposes to utilize Government land for installation of pump house, necessary permissions is to be obtained from the Government for leasing the land and the lease amount as fixed is to be paid by the industry.
11. The industry must strengthen the river margin 100m from the toe to the River Flood Bank.
12. The Industry has to lay CC(1:4:8) before laying the pipeline and CC(1:2:4) over the pipeline, refill the pipeline with proper soils and consolidate the banks as directed by the Department.
13. The Industry has to construct CC walls to avoid leakage at pipeline crossing.
14. The water drawn from the Tungabhadra River should utilized for the purpose for which the permission is granted.
15. The Industry should follow the Revenue Board Standing Orders.
16. The Industry shall pay security deposit at 5% on 10 years water charges for which permission is granted.
17. The Industry shall pay one year water charges as advance and any amount due to the Department before entering into agreement.
18. The Industry has to conclude agreement with the officers concerned of Water Resources Department.
19. The Industry shall abide by R.C.Act-1884 and any other condition laid down by the Government Department from time to time.
20. The Industry should make its own arrangements for summer storage in their premises only and to conclude agreements accordingly.
21. The Industry has to pay the water charges for the estimated quantity in advance as the start of the Financial Year i.e., before 10th April every year as per BSO.
22. Under any circumstances, the consumptive utilization should not exceed the quantum of water allotted by the Government.
23. The proposed drawl for this plant should not affect Lower Riparian Rights (LRR) and Upper Riparian Rights (URR) in any manner.
24. The Department is no way responsible for any damages that may occur to the off take point due to floods in Krishna River or on an account of any other reasons.
25. The permission does not confer any riparian right to the industry.
26. Non-Adherence to any of the above condition by the industry will entail cancellation of the permission.
27. The Firm has to produce the relevant records for Departmental verification at the end of each quarter periodically.

28. The concerned Executive Engineer will be responsible for enforcing the conditions.

4. The Engineer-in-Chief (Irrigation), Water Resources Department, Vijayawada, Chief Engineer (P), Water Resources Department, Kurnool and the Collector & District Magistrate, Kurnool District, Kurnool, shall take necessary action accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

DR. K.S.JAWAHAR REDDY
SPECIAIL CHIEF SECRETARY TO GOVT.

To
The Engineer-in-Chief (Irrigation), W.R. Department, A.P., Vijayawada.
The Chief Engineer (P), Water Resources Department, Kurnool.
The Collector & District Magistrate, Kurnool District, Kurnool.
The Managing Director, AP. Pollution Control Board,
Vijayawada.
The Managing Director, M/s Sree Rayalaseema Galaxy Projects Pvt. Ltd.,
Gondiparla (V), Kurnool District.

Copy to:
The Private Secretary to Hon'ble Minister for W.R. Department.
The Private Secretary to the Spl. Chief Secretary to Government,
Water Resources Department.
The Private Secretary to the Spl. Chief Secretary to Government,
Inds. & Com. Department.
SF/SC.

//FORWARDED::BY ORDER//

P.V. Shanmukha

SECTION OFFICER